

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1950696	(table\$1 OR list\$3 OR (management ADJ (info OR information OR data)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3 OR director\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/07 09:59
L2	2971128	DASD\$1 OR ((disk\$1 OR disc\$1) ADJ drive\$1) OR (hard ADJ (disc\$1 OR disk\$1 OR drive\$1)) OR stor\$3 OR (direct ADJ access ADJ storage ADJ device\$1) OR HDD OR HDDs	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:01
L5	394	(LU OR LUN OR (Logical ADJ (Unit OR (unit ADJ number\$1)))) SAME (LBA OR (Logical ADJ (block\$1 OR (block ADJ address\$2))))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:26
L6	1550824	LU OR LUN OR LBA OR (Logical ADJ (Unit OR (unit ADJ number\$1) OR block\$1 OR (block ADJ address\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:10
L7	2163	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near5 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:15
L8	16	L7 AND L5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:15
L9	335	(L1 near4 L6) near L2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:28
L10	690	(711/165).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/07 10:28
L11	1452	((711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/07 10:28
L12	3740	((711/111) or (711/112) or (711/114)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/07 10:29
L13	3735	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207) or (711/221)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/07 10:28
L14	140	L9 AND (L11 OR L12 OR L13 OR L10)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:28

L15	66	L9 AND (L13)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:29
L16	3218	((711/112) or (711/114)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/07 10:29
L17	21	L9 AND (L13 AND L16)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:29
S1	4	((("20020144044") or ("6341329") or ("6336163") or ("5805864"))).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 17:42
S3	2	"20050010730"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:01
S4	15	kano-yoshiki.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:02
S5	1515	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near3 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:11
S6	2453	((711/111) or (711/112) or (711/161)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 11:34
S7	689	(711/165).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 11:09
S8	1914	((711/112) or (711/161)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 11:09
S9	764	(711/111).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 11:13
S10	1292	(707/204).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 11:13
S11	68	S5 AND S8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:15
S12	152	S5 AND (S6 OR S7 OR S10)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:16

S13	1860	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:48
S14	161	S13 AND (S6 OR S7 OR S10)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:17
S15	179	(mov\$3 OR locat\$3 OR transfer\$4 OR shift\$3 OR relocate\$3) near4 S13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:31
S16	729901	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:31
S17	108	(S16 near4 (mov\$3 OR locat\$3 OR transfer\$4 OR shift\$3 OR relocate\$3)) near4 S13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:31
S18	4712	((711/111) or (711/112) or (711/114) or (711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 11:34
S19	31	S17 AND S18	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 11:35
S20	32	S17 AND (S18 OR S10)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 12:08
S21	3	((("5546557") or ("5870732") or ("5805864")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 12:08
S22	1	("4467421").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/02 12:55
S23	113914	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (location OR address\$2 OR LU OR (logical ADJ unit) OR LBA)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/07 09:58
S24	10	S23 near5 S13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:04

S25	369442	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (indicat\$3 OR identif\$3 OR locat\$3 OR location\$1 OR address\$2 OR LU OR (logical ADJ unit) OR LBA)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:15
S26	5	S25 near5 S13 NOT (S24)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:08
S27	9	S25 WITH S13 NOT (S24 OR S26)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:11
S28	17	S25 SAME S13 NOT (S24 OR S26 OR S27)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:16
S29	19613	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 ((indicat\$3 OR identif\$3 OR locat\$3 OR location\$1 OR address\$2 OR LU OR (logical ADJ unit) OR LBA) near4 (chang\$3 OR modify\$3 OR writ\$3 OR switch\$3 OR swap\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:02
S30	4	S29 SAME S13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:45
S31	40	("5537268" "5898593" "6243332" "6336163" "6574641" "6839796" "5546557" "5416914" "6330572" "5850566" "6027296" "6950723" "6862656" "6324497" "5313617" "5450384" "5936816" "6851031" "5890014" "5819296" "6651074" "6035303" "6151590" "6181336" "6654029" "6085246" "5235692" "5467360" "5485321" "5592497" "4068304" "4780808" "5268770" "5333810" "5465382" "5530819" "5873129" "6070224" "6260110" "6834324").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 14:46
S32	69	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 16:25

S33	1241	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (((disk\$1 OR disc\$1 OR HDD OR drive\$1) near2 array\$3) OR RAID OR DASD)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:11
S34	0	S32 SAME S33	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:11
S35	3	S32 AND S33	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:13
S36	3610	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 09:27
S37	1936490	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:24
S38	70	((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)) near8 (((disk\$1 OR disc\$1 OR HDD OR drive\$1) near2 array\$3) OR RAID OR DASD)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:30
S39	6	S37 SAME S38	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:31
S40	79	((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)) near15 (((disk\$1 OR disc\$1 OR HDD OR drive\$1) near2 array\$3) OR RAID OR DASD)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:30
S41	0	S37 SAME S40 NOT S39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:31
S42	0	(S37 SAME S40) NOT S39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:31
S43	25	S32 AND (S18 OR S10 OR S36)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 16:20
S44	25	S32 AND ("711".clas.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:32
S45	1	S44 NOT S43	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 15:33

S46	12	S31 AND S13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 16:21
S47	93	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near10 ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 09:47
S48	10	S47 AND (S18 OR S10 OR S36) NOT S43	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/02 16:32
S49	3731	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207) or (711/221)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 16:25
S50	3557532	map\$4 OR translat\$3 OR chang\$3 OR mov\$3 OR allocat\$3 OR assign\$3 OR remap\$4 OR reallocat\$3 OR reassign\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:58
S51	1936490	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:59
S52	1860	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:47
S53	3861851	(address\$3 OR location\$1 OR position\$1 OR region\$1 OR space\$1 OR locale OR storage\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:49
S54	30	(S50 near4 S53) SAME S51 SAME S52	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 11:38
S55	13	S54 AND S49	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 10:34
S56	17	S54 NOT S55	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 10:34
S57	6	((S50 near4 S53) near4 S51) SAME S52	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 11:40
S58	25	((S50 WITH S53) WITH S51) SAME S52	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:02
S59	10	S58 NOT S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 11:47

S60	182	((S50 WITH S53) WITH S51) AND S52	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 11:50
S61	151	S60 NOT (S59 OR S54)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 11:50
S62	4712	((711/111) or (711/112) or (711/114) or (711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 16:25
S63	40	S61 AND (S49 OR S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:20
S64	12	S61 AND (S49 AND S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:21
S65	28	S63 NOT S64	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:21
S66	3503881	chang\$3 OR mov\$3 OR allocat\$3 OR assign\$3 OR remap\$4 OR reallocat\$3 OR reassign\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:58
S67	1948546	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3 OR director\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 12:59
S68	2	((S66 WITH S53) WITH S67) SAME S52) NOT S58	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:07
S69	150	((S66 WITH S53) WITH S67) AND S52) NOT (S58 OR S54 OR S68)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:40
S70	23	S69 NOT S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:12
S71	3	S69 AND (S49 OR S62) NOT S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:32
S72	20	S70 NOT S71	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:32
S73	89	((S66 near10 S53)) SAME S52) NOT (S54 OR S58)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 14:32
S74	41	S73 AND (S49 OR S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 14:33

S75	10	S73 AND (S49 AND S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:45
S76	31	S73 AND (S49 OR S62) NOT S75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 13:54
S77	95	(S66 near10 S52) NOT (S54 OR S58 OR S73)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 14:32
S78	17	S77 AND (S49 OR S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 14:35
S79	1	S77 AND (S49 AND S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 14:33
S80	1450	((711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 16:24
S81	1860	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:25
S82	3732	((711/111) or (711/112) or (711/114)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 16:25
S83	3731	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207) or (711/221)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 16:26
S84	40	S81 AND (S82 OR S83) AND S80	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 16:43
S85	3076544	mov\$3 OR copy\$3 OR archiv\$3 OR transfer\$4 OR relocat\$3 OR transmit\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 12:33
S86	1860	((data OR datum OR file\$1) near5 ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:05
S87	2969833	DASD\$1 OR ((disk\$1 OR disc\$1) ADJ drive\$1) OR (hard ADJ (disc\$1 OR disk\$1 OR drive\$1)) OR stor\$3 OR (direct ADJ access ADJ storage ADJ device\$1) OR HDD OR HDDs	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:53
S88	62	(S85 near4 S86) near4 S87	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:06

S89	38	S88 AND (S80 OR S82 OR S83)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:54
S90	1	("6957291").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 17:42
S91	43	("20020080575" "4467421" "4675856" "5097439" "5253129" "5297067" "5297124" "5367669" "5410439" "5423046" "5638347" "5684671" "5726922" "5760995" "5870732" "5894376" "5925119" "5963971" "6049848" "6067481" "6070224" "6076142" "6098148" "6105037" "6122131" "6128698" "6247079" "6281685" "6324497" "6341329" "6341333" "6351825" "6434652" "6442021" "6460099" "6467025" "6496791" "6510050" "6535381" "6580604" "6742068" "6757748" "6854070").PN. OR ("6957291"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 17:42
S92	1860	((data OR datum OR file\$1) WITH ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S93	3864	((data OR datum OR file\$1) WITH ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) WITH (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) WITH (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:52
S94	141	(S85 WITH S93) WITH S87	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:53
S95	22	S94 AND (S80 OR S82 OR S83) NOT S89	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:54

S96	19	("4638424" "4771375" "5121479" "5276892" "5327535" "5333319" "5369747" "5418925" "5546557" "5640530" "5926834" "5936926" "5971281" "6009484" "6029179" "6145034" "6272589" "6463513" "6467024").PN. OR ("6779058").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/05 18:21
S97	425	(711/161).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 18:21
S98	3212	((711/112) or (711/114)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/05 18:21
S10 0	130	S97 AND S98	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 18:22
S10 1	14	S100 AND S81	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/05 18:22
S10 2	3316780	mov\$3 OR maneuver\$3 OR shift\$3 OR migrat\$3 OR archiv\$3 OR transfer\$4 OR relocat\$3 OR transmit\$4 OR transport\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 13:09
S10 3	730656	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:06
S10 4	1864	((data OR datum OR file\$1) near5 ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:07
S10 5	2971128	DASD\$1 OR ((disk\$1 OR disc\$1) ADJ drive\$1) OR (hard ADJ (disc\$1 OR disk\$1 OR drive\$1)) OR stor\$3 OR (direct ADJ access ADJ storage ADJ device\$1) OR HDD OR HDDs	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:00
S10 6	54	((S102 near4 S103) near4 S105) AND S104	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:43
S10 7	690	(711/165).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/06 13:10
S10 8	1452	((711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/06 13:10

S10 9	3740	((711/111) or (711/112) or (711/114)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/06 13:10
S11 0	3735	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207) or (711/221)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/06 13:10
S11 1	30	S106 AND (S108 OR S109 OR S110 OR S107)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 14:00
S11 2	1	S106 AND (S107)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 13:10
S11 3	24	S106 NOT S111	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 13:31
S11 4	82	((S102 near4 S103) WITH S105) AND S104	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:44
S11 5	28	((S102 near4 S103) WITH S105) AND S104) NOT S106	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 13:59
S11 6	10	S115 AND (S108 OR S109 OR S110 OR S107)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 13:54
S11 7	18	S115 NOT S116	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 13:54
S11 8	133	((S102 WITH S103) WITH S105) AND S104) NOT (S106 OR S115)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:00
S11 9	57	S118 AND (S108 OR S109 OR S110 OR S107)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 14:01
S12 0	54	S118 AND (S109 OR S110 OR S107)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 14:02
S12 1	35	S118 AND (S109 OR S110 OR S107) NOT S108	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/06 14:02